

Feitian FIDO2 Biometric USB-C token



© 2019 Dot Origin Ltd.

The BioPass USB-C security key from Feitian follows the FIDO2.0 authentication specification. It stores your fingerprint data in a compact USB token, in a way that cannot be reverse engineered from the stored data.

FIDO2 Biometric USB tokens provide touch and go, passwordless device unlocking, with a robust, all metal device. They are supported by Microsoft as a security key for Windows Hello for Business (Windows 10 with Azure AD) deployments.

The compact USB token contains a fingerprint sensor and an LED to indicate verification success or failure. This model, with the manufacturer part number K26, can be plugged into any USB-C interface. (The K27 offers the same functionality with the original, USB-A, interface.)

If you use the latest Microsoft Windows 10 software, with Windows Hello, you can manage fingerprints, PINs or resets within Windows security options. Users of earlier software use Feitian's (free) BioPass FIDO2 manager software or the BioPass FIDO2 Manager App. Each FIDO2 Biometric USB token can store up to 50 fingerprints.

Feitian FIDO2.0 compliant BioPass security key provides strong authentication for all compatible web service and PC logon applications. USB Type-C interface.

PRODUCT BRIEFING ©2021 DOT ORIGIN LTD PAGE 1 OF 3

To buy, visit:

 $\underline{\text{https://www.smartcardfocus.com/shop/ilp/id}^875/\text{feitian-fido2-biometric-usb-c-token/p/index.shtml}}$

This Product Briefing has been produced by <u>Dot Origin Ltd</u>, the smart card experts behind <u>SmartcardFocus.com</u>. If you have a query email <u>sales@smartcardfocus.com</u> or call us on +44 (0)1428 685250.

PRODUCT BRIEFING ©2021 DOT ORIGIN LTD PAGE 2 OF 3

Feitian FIDO2 Biometric USB-C token

Technical Specifications

Dimensions: 2.0" x 0.7" x 0.28" (50.9 x 18 x 7mm)

Power Supply: 5V USB powered

Operating Temperature: 14 to 122 degF (-10 to 50 degC) Storage Temperature: -4 to 158 degF (-20 to 70 degC)

Sensor service life: Over 200,000 times

Interface

Standard USB Type C connector Communication protocol: CTAPHID

Security Algorithms

ECDSA, SHA256, AES, HMAC, ECDH

Human Interface

FPC Fingerprint Sensor LEDs: Green and Red

Fingerprint module

Resolution: 160 x 180 pixel

Definition: 508 DPI

Storage: 50 fingerprints Autonomic Learning: Yes

False Accept Rate: <0.001%

False Reject Rate: <1%

Recognition Time: <0.6sec Acquisition Time: <180ms

Compliance / Certification

FIDO2

Manufacturer's part number: K26

Manufacturer: Feitian

Connection Method: USB

PRODUCT BRIEFING ©2021 DOT ORIGIN LTD PAGE 3 OF 3